



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 1

Clover D8 Gummies - Batch 7/30/26

Sample ID: 2608NBL1470.4101

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Date Collected:

Received: 08/25/2026

Completed: 08/26/2026

Expires: 08/26/2027

External Lot ID:

Batch#: 7/30/26

Client

Clover CBD Dispensary

Lic. #

1129 Patton Ave Asheville, NC 28806

zach@clovercbd.com



Summary

Test
Cannabinoids

Date Tested
08/25/2026

Result
Complete

Cannabinoids

Complete

2.816 mg/serving

Total Δ 9-THC

0.045%

Δ 9-THC

ND

Total CBD

22.853 mg/serving

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/serving	mg/serving	mg/serving	mg/container	%
(6aR,9R)-d10-THC	0.2906	0.436	ND	ND	ND
9R-HHC	0.2906	0.436	ND	ND	ND
(6aR,9S)-d10-THC	0.2906	0.436	ND	ND	ND
9S-HHC	0.2906	0.436	ND	ND	ND
CBC	0.2906	0.436	ND	ND	ND
CBCa	0.2906	0.436	ND	ND	ND
CBD	0.2906	0.436	ND	ND	ND
CBDa	0.2906	0.436	ND	ND	ND
CBDV	0.2906	0.436	ND	ND	ND
CBDVa	0.2906	0.436	ND	ND	ND
CBG	0.2906	0.436	ND	ND	ND
CBGa	0.2906	0.436	ND	ND	ND
CBN	0.2906	0.436	<LOQ	<LOQ	<LOQ
CBNa	0.2906	0.436	ND	ND	ND
Δ 8-THC	0.2906	0.436	20.037	200.36731	0.319
Δ 9-THC	0.2906	0.436	2.816	28.15782	0.045
THCa	0.2906	0.436	ND	ND	ND
THCp	0.2906	0.436	ND	ND	ND
THCV	0.2906	0.436	ND	ND	ND
THCVa	0.2906	0.436	ND	ND	ND
Total THC			2.816	28.15782	0.045
Total CBD			ND	ND	ND
Total			22.853	228.52513	0.364

Date Tested: 08/25/2026

1 Container = 10 Gummies; Serving Mass: 6.278 g; 10 servings per container; 28.2 mg THC per container; 1 Serving = 1 Gummy

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ 9-THC = THCa * 0.877 + Δ 9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.



Ashley N Phillips

Ashley Phillips
Laboratory Director
08/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.